

**2011 Annual Water Quality Report  
(Covering period January - December 2010)**

**UTILITIES BOARD OF THE CITY OF FOLEY  
dba RIVIERA UTILITIES**  
P. O. Box 2050  
413 East Laurel Avenue  
Foley, AL 36536  
Phone 251-943-5001  
Fax 251-943-5275

We are pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. We are committed to ensuring the quality of your water.

<b>Source</b>	Six (6) groundwater wells producing from the Miocene Group undifferentiated		
<b>Treatment</b>	Chlorination, fluoridation, corrosion control, and pH adjustment		
<b>Storage Capacity</b>	Three (3) tanks with a total capacity of 3,000,000 gallons		
<b>Customers</b>	Approximately 9600		
<b>Back-up Connections</b>	Elberta Water, Summerdale Water, and Perdido Bay Water		
<b>Board Members</b>	Arthur A. Holk, Chairman		
	Robert D. Schreiber, Director		
	Michael D. Werneth, Sr., Director		
	John E. Koniari, Director		
	Ralph G. Hellmich, Director		
<b>Mgmt Team</b>	<b>Operations Team</b>	Lee Kibler, Supervisor Plant Operations	
		Tommy Krehling, Chief Operator	
		Mark Lucassen, Operator	
		Zack Hamby, Operator	
		Jon Salter, Operator	
Michael M. Dugger, General Manager & CEO			
Richard A. Peterson, Manager Gas, Water,			
David A. Horton, Public Affairs &			

**Water Quality Protection**

In compliance with the Alabama Department of Environmental Management (ADEM), **Riviera Utilities** has developed a Source Water Assessment plan that will assist in protecting our water sources. The assessment has been performed, public notification has been completed, and the plan has been approved by ADEM. A copy of the report is available in the superintendent's office for review during regular business hours, or you may purchase a copy upon request for a nominal reproduction fee.

**Riviera Utilities** continuously monitors the water production and water treatment facilities that deliver safe drinking water to you. We utilize a Bacteriological Monitoring Plan to ensure we sample for potential contamination from locations throughout our distribution system. Chlorine residual is routinely tested by our technicians and bacteriological tests are run to ensure adequate disinfection is available to protect your drinking water. Results show that the required minimum free chlorine residual level of 0.2 mg/L is maintained. We have also established a Cross-Connection Policy to insure safe drinking water for our customers. Please help us make these efforts worthwhile by protecting our source water. Carefully follow instructions on pesticides and herbicides you use for your lawn and garden, and properly dispose of household chemicals, paints, and waste oil.

**Monitoring Schedule**

**Riviera Utilities** routinely monitors for contaminants in your drinking water according to Federal and State laws, using EPA approved methods and a State certified laboratory. The Alabama Department of Environmental Management (ADEM) allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently.

<b>Constituent Monitored</b>	<b>Date Monitored</b>
Inorganic Contaminants	2010
Lead/Copper	2010
Microbiological Contaminants	current
Nitrates	2010
Radioactive Contaminants	2010
Synthetic Organic Contaminants (including pesticides and herbicides)	2010
Volatile Organic Contaminants	2010
Disinfection By-products	2010
Unregulated Contaminant Monitoring Rule 2 (UCMR2) contaminants	2010

## General Information

All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. MCL's, defined in a List of Definitions in this report, are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and radioactive material, and it can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water run-off, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, storm water run-off, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water.

Some people may be more vulnerable to contaminants in drinking water than the general population. People who are immunocompromised such as cancer patients undergoing chemotherapy, organ transplant recipients, HIV/AIDS positive or other immune system disorders, some elderly, and infants can be particularly at risk from infections. People at risk should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Based on a study conducted by ADEM with the approval of the EPA a statewide waiver for the monitoring of asbestos and dioxin was issued. Thus, monitoring for these contaminants was not required.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your water system is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water hotline or at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).

## Questions?

If you have any questions or concerns regarding your water or this report, please contact **Richard Peterson** at the water office at 251-943-5001. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on **the third Tuesday of each month at 2:00 p.m. in the office of the utilities board.**

More information about contaminants to drinking water and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (1-800-426-4791).

This report contains results from the most recent monitoring which was performed in accordance with the regulatory schedule. **As you can see by the table below, our system had no violations.** We have learned through our monitoring and testing that some constituents have been detected. We are pleased to report that our drinking water is safe and meets federal and state requirements. This report shows our water quality and what it means.

TABLE OF DETECTED DRINKING WATER CONTAMINANTS						
Contaminants	Violation Y/N	Level Detected	Unit Msmt	MCLG	MCL	Likely Source of Contamination
Alpha emitters	NO	1.2 ± 0.5	PCi/l	0	15	Erosion of natural deposits
Chlorine	NO	0.91-1.51	ppm	MRDL=4	MRDL= 4	Water additive used to control microbes
Fluoride	NO	0.85-0.96	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from factories
Nitrate (as Nitrogen)	NO	1.11-1.15	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
TTHM [Total trihalomethanes]	NO	Avg. 8.19 3.87-12.5	ppb	0	80	By-product of drinking water chlorination
HAA5 [Total haloacetic acids]	NO	Avg. 0.73 ND-1.46		0	60	By-product of drinking water chlorination
Secondary Contaminants						
Chloride	NO	6.92-8.71	ppm	n/a	250	Naturally occurring in the environment or as a result of agricultural runoff
Hardness	NO	21.8-25.2	ppm	n/a	n/a	Naturally occurring in the environment or as a result of treatment with water additives
Manganese	NO	0.01-0.03	ppm	n/a	0.05	Erosion of natural deposits; leaching from pipes
pH	NO	7.43-8.66	S.U.	n/a	n/a	Naturally occurring in the environment or as a result of treatment with water additives
Sulfate	NO	0.51-3.14	ppm	n/a	250	Naturally occurring in the environment or as a result of industrial discharge or agricultural runoff
Total Dissolved Solids	NO	44.0-48.0	ppm	n/a	500	Naturally occurring in the environment or as a result of industrial discharge or agricultural runoff or from lime used for pH control

#### Definitions

**Action Level** - the concentration of a contaminant that, if exceeded, triggers treatment or other requirements which a water system must follow.

**Coliform Absent (ca)** - Laboratory analysis indicates that the contaminant is not present.

**Disinfection byproducts** – are formed when disinfectants used in water treatment plants react with bromide and/or natural organic matter (i.e., decaying vegetation) present in the source water. Different disinfectants produce different types or amounts of disinfection byproducts. Disinfection byproducts for which regulations have been established include trihalomethanes (TTHM), haloacetic acids (HAA5), bromate, and chlorite.

**Initial Distribution System Evaluation (IDSE)** - a one-time study conducted by water systems to identify distribution system locations with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their Stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

**Maximum Contaminant Level** - (mandatory language) The Maximum Allowed (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**Maximum Contaminant Level Goal** - (mandatory language) The Goal (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**Millirems per year (mrem/yr)** - measure of radiation absorbed by the body.

**Nephelometric Turbidity Unit (NTU)** - a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

**Not Applicable (NA)** – Not applicable to water system because not required to perform the referenced monitoring.

**Non-Detects (ND)** - laboratory analysis indicates that the constituent is not present.

**Not Required (NR)** - laboratory analysis not required due to waiver granted by the Environmental Protection Agency for the State of Alabama.

**Parts per billion (ppb) or Micrograms per liter** - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

**Parts per million (ppm) or Milligrams per liter (mg/l)** - one part per million corresponds to one minute in two years or a single penny in \$10,000.

**Parts per quadrillion (ppq) or Picograms per liter (picograms/l)** - one part per quadrillion corresponds to one minute in 2,000,000,000 years, or a single penny in \$10,000,000,000,000.

**Parts per trillion (ppt) or Nanograms per liter (nanograms/l)** - one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

**Picocuries per liter (pCi/L)** - picocuries per liter is a measure of the radioactivity in water.

**Threshold Odor Number (TON)** – The greatest dilution of a sample with odor-free water that yields a barely detectable odor.

**Treatment Technique (TT)** - (mandatory language) a required process intended to reduce the level of a contaminant in drinking water.

**Variances & Exemptions (V&E)** - State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

At the end of this report a list of *Primary Drinking Water Contaminants* and a list of *Unregulated Contaminants* for which our water system routinely monitors. These contaminants were *not* detected in your drinking water unless they are listed in the *Table of Detected Drinking Water Contaminants*.

STANDARD LIST OF PRIMARY DRINKING WATER CONTAMINANTS					
Contaminant	MCL	Unit of Msmt	Contaminant	MCL	Unit of Msmt
<b>Bacteriological</b>			o-Dichlorobenzene	600	ppb
Total Coliform Bacteria	<5%	present or absent	p-Dichlorobenzene	75	ppb
Fecal Coliform and E. coli	0	present or absent	1,2-Dichloroethane	5	ppb
Turbidity	TT	NTU	Nitrite	1	ppm
<b>Radiological Contaminants</b>			Total Nitrate and Nitrite	10	ppm
Beta/photon emitters	4	mrem/yr	Selenium	50	ppb
Alpha emitters	15	pCi/l	Thallium	2	ppb
Combined radium	5	pCi/l	<b>Organic Contaminants</b>		
Uranium	30	pCi/l	2,4-D	70	ppb
<b>Inorganic Chemicals</b>			2,4,5-TP(Silvex)	50	ppb
Antimony	6	ppb	Acrylamide	TT	
Arsenic	10	ppb	Alachlor	2	ppb
Asbestos	7	MFL	Benzo(a)pyrene [PAHs]	200	ppt
Barium	2	ppm	Carbofuran	40	ppb
Beryllium	4	ppb	Chlordane	2	ppb
Cadmium	5	ppb	Dalapon	200	ppb
Chromium	100	ppb	Di (2-ethylhexyl)adipate	400	ppb
Copper	AL=1.3	ppm	Di (2-ethylhexyl)phthalate	6	ppb
Cyanide	200	ppb	Dinoseb	7	ppb
Fluoride	4	ppm	Diquat	20	ppb
Lead	AL=15.	ppb	Dioxin [2,3,7,8-TCDD]	30	Picograms/l
Mercury	2	ppb	Chloramines	4	ppm
Nitrate	10	ppm	Chlorite	1	ppm
Endothall	100	ppb	HAA5 [Total haloacetic	60	ppb
Endrin	2	ppb	1,1-Dichloroethylene	7	ppb
Epichlorohydrin	TT		cis-1,2-Dichloroethylene	70	ppb
Glyphosate	700	ppb	trans-1,2-Dichloroethylene	100	ppb
Heptachlor	400	Nanograms/l	Dichloromethane	5	ppb
Heptachlor epoxide	200	Nanograms/l	1,2-Dichloropropane	5	ppb
Hexachlorobenzene	1	ppb	Ethylbenzene	700	ppb
Hexachlorocyclopentadiene	50	ppb	Ethylene dibromide	50	ppt
Lindane	200	Nanograms/l	Styrene	100	ppb
Methoxychlor	40	ppb	Tetrachloroethylene	5	ppb
Oxamyl [Vydate]	200	ppb	1,1,1-Trichloroethane	200	ppb
Oxamyl [Vydate]	200	PCBs	1,1,2-Trichloroethane	5	ppb
Pentachlorophenol	1	ppb	Trichloroethylene	5	ppb
Picloram	500	ppb	TTHM [Total	80	ppb
Simazine	4	ppb	Toluene	1	ppm
Toxaphene	3	ppb	Vinyl Chloride	2	ppb
Benzene	5	ppb	Xylenes	10	ppm
Carbon tetrachloride	5	ppb	Chlorine	4	ppm
Chlorobenzene	100	ppb	Chlorine Dioxide	800	ppb
Dibromochloropropane	200	ppt	Bromate	10	ppb
<b>UNREGULATED CONTAMINANTS</b>					
1,1 – Dichloropropene	Aldicarb Sulfone	Dibromochloromethane	Metribuzin		
1,1,1,2-Tetrachloroethane	Aldicarb Sulfoxide	Dibromomethane	N - Butylbenzene		
1,1,2,2-Tetrachloroethane	Aldrin	Dicamba	Naphthalene		
1,1-Dichloroethane	Bromobenzene	Dichlorodifluoromethane	N-Propylbenzene		
1,2,3 - Trichlorobenzene	Bromochloromethane	Dicamba	O-Chlorotoluene		
1,2,3 - Trichloropropane	Bromodichloromethane	Dichlorodifluoromethane	P-Chlorotoluene		
1,2,4 - Trimethylbenzene	Bromoform	Dieldrin	P-Isopropyltoluene		
1,3 – Dichloropropane	Bromomethane	Hexachlorobutadiene	Propachlor		
1,3 – Dichloropropene	Butachlor	Isopropylbenzene	Sec - Butylbenzene		
1,3,5 - Trimethylbenzene	Carbaryl	M-Dichlorobenzene	Tert - Butylbenzene		
2,2 – Dichloropropane	Chloroethane	Methomyl	Trichlorofluoromethane		
3-Hydroxycarbofuran	Chloroform	MTBE			
Aldicarb	Chloromethane	Metolachlor			